



## Scheduling Meeting of 16 September 2008

**Days worked since last Recordable Injury = 27**

### Fermilab Injuries and FY08 Goals:

	FY2005	FY2006	FY2007	FY2008 to Date	GOAL
TRC Cases	28	29	31	<b>11 (2 are subs)</b>	<b>&lt;12</b>
DART Cases	11	7	12	<b>3 (1 is sub)</b>	<b>&lt;5</b>

### Injuries Reported to Medical Department from 09/08/2008 to 09/15/2008

Division	Category	Case Date	Date Entered	Reportable?	Rx	Medical		ESH		Case #
						ODD	LDD	ODD	LDD	
AD	FNAL	09/09/2008	09/09/2008	No		0	0	0	0	17608
<b>Medical Comments:</b> While working in office area, employee was stung by a bee on the left, third finger.										
<b>ESH Comments:</b> The employee had just returned to his office in the West Booster Tower from being outdoors and the bee may have been on the individual's neck or shirt when he came indoors. The employee felt something on his neck and, when he put his hand up to his neck, he was stung on the finger by the bee. He reported to the Medical Office and received first aid treatment for the sting. He returned to work with no limitations.										
TD	FNAL	09/12/2008	09/15/2008	No		0	0	0	0	17628
<b>Medical Comments:</b> Employee slipped on painted sidewalk (in the rain), fell to knees; fall caused scraping and contusion of both knees. Employee sent to local clinic for X-rays.										
<b>ESH Comments:</b> X-rays negative. No treatment required.										

**Fermilab Leading/Lagging Indicators  
From 10/01/2007 To 09/15/2008**

Outstanding
  Excellent
  Good
  Marginal
  Unsatisfactory

Org	ITNA Completion			Required ES&H Courses			Current ITNAs			Total Recordable Case Rate		DART Rate	
	Completed	Employees	%	Completed	Required	%	Current	Employees	%	# Cases	Rate (per 100 man-years)	# Cases	Rate (per 100 man-years)
AD	492	492	100.0%	7,846	8,030	97.7%	488	492	99.2%	0	0.00	0	0.00
APC	47	47	100.0%	427	435	98.2%	46	47	97.9%	0	0.00	0	0.00
BS	127	127	100.0%	1,570	1,632	96.2%	127	127	100.0%	0	0.00	0	0.00
CD	268	270	99.3%	2,091	2,165	96.6%	264	270	97.8%	1	0.41	0	0.00
CMS	11	11	100.0%	61	65	93.8%	11	11	100.0%	0	0.00	0	0.00
DI	44	44	100.0%	354	375	94.4%	43	44	97.7%	0	0.00	0	0.00
ES	38	38	100.0%	571	585	97.6%	38	38	100.0%	0	0.00	0	0.00
FCPA	8	8	100.0%	46	54	85.2%	8	8	100.0%	1	12.42	0	0.00
FE	108	108	100.0%	2,049	2,143	95.6%	106	108	98.1%	5	4.67	2	1.87
FI	53	53	100.0%	445	458	97.2%	53	53	100.0%	0	0.00	0	0.00
PD	452	455	99.3%	4,734	4,997	94.7%	443	455	97.4%	0	0.00	0	0.00
TD	229	230	99.6%	2,752	2,909	94.6%	225	230	97.8%	2	0.96	0	0.00
WR	59	59	100.0%	405	425	95.3%	59	59	100.0%	0	0.00	0	0.00
<b>Fermilab</b>	<b>1,936</b>	<b>1,942</b>	<b>99.7%</b>	<b>23,351</b>	<b>24,273</b>	<b>96.2%</b>	<b>1,911</b>	<b>1,942</b>	<b>98.4%</b>	<b>9</b>	<b>0.50</b>	<b>2</b>	<b>0.11</b>

ITNA Completion	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%
Required ES&H Courses	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%
Total Recordable Case Rate	0 - .65	.75 - 1.2	1.3 - 1.85	1.95 - 2.5	≥2.6
DART Rate	0 - .25	.35 - .5	.6 - .75	.85 - 1	≥1.1
Current ITNAs	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%

**Annualized Injury Rate Trends:  
(INCLUDES SUBCONTRACTOR EMPLOYEES)**

