



Scheduling Meeting of October 15, 2013

Number and rate of TRC and DART cases by FY - Includes Employees & Subcontractors

	FY10	Rate	FY11	Rate	FY12	Rate	FY13	Rate	FY14	Rate
TRC Cases	19	1.04	20	1.03	37	1.87	21	0.86	1	1.07
DART Cases	6	0.34	6	0.26	17	0.83	6	0.25	0	0.0

Injuries:

Division	Category	Case Date	Date Entered	Recordable?	Rx	Medical		ESH	
						ODD	LDD	ODD	LDD
FE	FNAL	10/09/2013	10/09/2013	N		0	5	0	0

Medical Comments: On 10/7/13, employee noted pain and tingling in his right wrist that continued to get worse thru the day and at night.

ESH Comments: Employee experienced a sudden onset of pain in the right wrist and reported to the Fermilab Medical Department for an evaluation. He was given restrictions, but these do not affect his ability to complete his job. A work station evaluation is scheduled to alleviate any issues with the individuals work station.

Claim Pending:

None

Vehicle Accidents:

None

ORPS/Incidents/Notices of Violations:

None

Required ESH Training and ITNA Status for Employees

Org	Completed Courses	Required Courses	Percent Completed	Employees	Current ITNAs	ITNAs < 1 Year Old	Missing ITNAs	ITNAs > 3 Years Old
AD	9212	9297	99.1%	434	430	99.1%	0	0
APC	584	590	99.0%	48	48	100.0%	0	0
BS	2468	2473	99.8%	148	148	100.0%	0	0
CCD	1435	1439	99.7%	98	97	99.0%	0	0
CD	421	422	99.8%	36	36	100.0%	0	0
CMS	175	179	97.8%	18	18	100.0%	0	0
DI	679	682	99.6%	59	56	94.9%	0	0
ES	1011	1020	99.1%	43	42	97.7%	0	0
FCPA	116	116	100.0%	9	9	100.0%	0	0
FE	2654	2668	99.5%	111	109	98.2%	1	0
FI	439	440	99.8%	34	34	100.0%	0	0
LBNE	102	103	99.0%	7	7	100.0%	0	0
PD	6484	6572	98.7%	417	404	96.9%	0	0
SCD	1855	1870	99.2%	158	154	97.5%	0	0
TD	4264	4288	99.4%	216	208	96.3%	0	0
WR	1290	1291	99.9%	104	104	100.0%	0	0
Fermilab	33189	33450	99.2%	1940	1904	98.1%	1	0

> 95% 90-95% < 90%

Missing ITNAs and ITNAs > 3 Years Old = Red
Missing ITNAs for New Employees = Yellow

TRC & DART Details for Current Fiscal Year

Organization	TRC Cases	TRC Rate	TRC 3-Year Average	TRC KPI	DART Cases	DART Rate	DART 3-Year Average	DART KPI
AD	0	0.00	2.39	↓	0	0.00	0.57	↓
APC	0	0.00	0.00	→	0	0.00	0.00	→
BS	1	25.39	1.92	↑	0	0.00	0.55	↓
CCD	0	0.00	0.29	↓	0	0.00	0.00	→
CD	0	0.00	0.12	↓	0	0.00	0.12	↓
CMS	0	0.00	0.00	→	0	0.00	0.00	→
DI	0	0.00	2.38	↓	0	0.00	0.00	→
ES	0	0.00	0.89	↓	0	0.00	0.89	↓
FCPA	0	0.00	0.00	→	0	0.00	0.00	→
FE	0	0.00	3.85	↓	0	0.00	2.26	↓
FI	0	0.00	0.00	→	0	0.00	0.00	→
LBNE	0	0.00	0.00	→	0	0.00	0.00	→
PD	0	0.00	0.65	↓	0	0.00	0.39	↓
SCD	0	0.00	0.25	↓	0	0.00	0.25	↓
TD	0	0.00	1.49	↓	0	0.00	0.49	↓
WR	0	0.00	1.32	↓	0	0.00	0.00	→
Fermilab	1	1.64	1.38	↑	0	0.00	0.48	↓

DART/TRC/First Aid Counts for Employees and Contractors

