


## Weekly Lab Status Meeting - June 03, 2014


### Fiscal Year Summary by injury type

	FY2003	FY2004	FY2005	FY2006	FY2007	FY2008	FY2009	FY2010	FY2011	FY2012	FY2013	FY2014
<b>DART</b>	12	11	11	7	12	3	12	6	6	19	7	6
<b>TRC</b>	34	32	30	29	32	12	25	20	21	38	26	14
<b>First Aid</b>	82	67	66	48	60	62	58	52	51	46	35	15

### DART/TRC/First Aid Counts for Employees and Contractors



### DART/TRC/First Aid Rates for Employees and Contractors



**Injuries:**

Division	Category	Case Date	Date Entered	Recordable?	Rx	Medical		ESH	
						ODD	LDD	ODD	LDD
FE	FNAL	05/30/2014	05/30/2014	Y	Y	0	0	0	0
<b>Medical Comments:</b> While changing filter on a lift, debris flew into employee's eye while trying to get the door open. Corneal abrasion - antibiotic Rx given.									
<b>ESH Comments:</b>									

**Claim Pending:**

None

**Vehicle Accidents:**

None

**ORPS/Incidents/Notices of Violations:**

- Incident - On Friday May 30 a truck own by a T&M contractor ran through the roll up door of Lab 4 after the contractor moved the truck and forgot to put it into park.
- Incident - On Friday May 30 RF cavity was received from Argonne that had be cleaned by their HF process. When the Fermilab employee opened the wrapping around the cavity he smelled gas and immediately closed it back up. The incident is being investigated.

### Employee TRC & DART Details for Current Fiscal Year

Organization	TRC Cases	TRC Rate	TRC 3-Year Average	TRC KPI	DART Cases	DART Rate	DART 3-Year Average	DART KPI
AD	3	1.20	2.39	↓	1	0.40	0.57	↓
APC	0	0.00	0.00	→	0	0.00	0.00	→
BS	2	2.58	1.92	↑	1	1.29	0.55	↑
CCD	0	0.00	0.29	↓	0	0.00	0.00	→
CD	0	0.00	0.12	↓	0	0.00	0.12	↓
CMS	0	0.00	0.00	→	0	0.00	0.00	→
DI	2	7.12	2.38	↑	0	0.00	0.00	→
ES	0	0.00	0.89	↓	0	0.00	0.89	↓
FCCA	0	0.00	0.00	→	0	0.00	0.00	→
FE	2	3.18	3.85	↓	1	1.59	2.26	↓
FI	0	0.00	1.18	↓	0	0.00	0.00	→
LBNE	0	0.00	0.00	→	0	0.00	0.00	→
PD	1	0.45	0.65	↓	0	0.00	0.39	↓
SCD	0	0.00	0.25	↓	0	0.00	0.25	↓
TD	1	0.80	1.66	↓	1	0.80	0.49	↑
WR	0	0.00	1.32	↓	0	0.00	0.00	→
<b>Fermilab</b>	<b>11</b>	<b>0.95</b>	<b>1.41</b>	<b>↓</b>	<b>4</b>	<b>0.35</b>	<b>0.48</b>	<b>↓</b>

### Required ESH Training and ITNA Status for Employees

Org	Completed Courses	Required Courses	Percent Completed	Employees	Current ITNAs	ITNAs < 1 Year Old	Missing ITNAs	ITNAs > 3 Years Old
AD	9184	9295	98.8%	429	424	98.8%	0	0
APC	576	591	97.5%	45	44	97.8%	0	0
CCD	1636	1655	98.9%	118	117	99.2%	1	0
CD	434	446	97.3%	39	36	92.3%	0	0
CMS	174	175	99.4%	16	16	100.0%	0	0
DI	680	696	97.7%	58	55	94.8%	2	1
ES	1766	1777	99.4%	78	78	100.0%	0	0
FCCA	125	125	100.0%	12	10	83.3%	2	0
FE	3858	3908	98.7%	190	188	98.9%	0	0
FI	805	810	99.4%	62	62	100.0%	0	0
LBNE	101	105	96.2%	7	7	100.0%	0	0
PD	6552	6696	97.8%	407	396	97.3%	3	1
SCD	1900	1939	98.0%	167	157	94.0%	2	0
TD	4236	4322	98.0%	220	218	99.1%	0	0
WR	1332	1341	99.3%	115	100	87.0%	8	0
<b>Fermilab</b>	<b>33359</b>	<b>33881</b>	<b>98.5%</b>	<b>1963</b>	<b>1908</b>	<b>97.2%</b>	<b>18</b>	<b>2</b>

> 95%   90-95%   < 90%

Missing ITNAs and ITNAs > 3 Years Old = Red  
Missing ITNAs for New Employees = Yellow