

## Weekly Lab Status Meeting – December 09, 2014

### Fiscal Year Summary by Case Type

	FY2004	FY2005	FY2006	FY2007	FY2008	FY2009	FY2010	FY2011	FY2012	FY2013	FY2014	FY2015
<b>DART</b>	11	11	7	12	3	12	6	6	19	7	10	1
<b>TRC</b>	32	30	29	32	12	25	19	21	38	26	23	4
<b>First Aid</b>	67	66	48	60	62	58	52	51	45	34	20	4

**Injuries:**  
None


### **Claims Pending:**

Division	Category	Case Date	Date Entered	Recordable	Rx	Medical		ESH	
						ODD	LDD	ODD	LDD
PD	FNAL	12/03/2014	12/08/2014	CP		0	0	0	0
<p><b>Medical Comments:</b> While descending in the elevator, employee fainted, causing him to fall and injure his right ankle. Employee was taken to the hospital where x-rays were taken and showed fractures of right ankle. Employee will have an evaluation by an orthopedist when he returns to the U.S.</p>									
<p><b>ESH Comments:</b></p>									

**Vehicle Accidents:**  
None

**ORPS/Incidents/Notices of Violations:**  
None

### DART/TRC/First Aid Counts for Employees and Subcontractors



### Employee TRC & DART Details for Current Fiscal Year

Organization	TRC Cases	TRC Rate	TRC 3-Year Average	TRC KPI	DART Cases	DART Rate	DART 3-Year Average	DART KPI
AD	1	1.29	2.09	↓	1	1.29	0.70	↑
BS			2.24	↓			0.84	↓
CCD	0	0.00	0.29	↓	0	0.00	0.00	→
CD	0	0.00	0.00	→	0	0.00	0.00	→
DI	0	0.00	2.24	↓	0	0.00	0.00	→
ES	0	0.00	0.89	↓	0	0.00	0.89	↓
FCCA	0	0.00	0.00	→	0	0.00	0.00	→
FE	1	3.48	4.31	↓	0	0.00	2.49	↓
FI	0	0.00	1.99	↓	0	0.00	0.00	→
ND	0	0.00	0.00	→	0	0.00	0.00	→
PD			0.68	↓			0.49	↓
SCD	0	0.00	0.50	↓	0	0.00	0.25	↓
TD	0	0.00	1.84	↓	0	0.00	0.66	↓
WR	0	0.00	1.77	↓	0	0.00	0.00	→
<b>Fermilab</b>	<b>2</b>	<b>0.69</b>	<b>1.40</b>	<b>↓</b>	<b>1</b>	<b>0.34</b>	<b>0.53</b>	<b>↓</b>

\*Please note that FermiDash Training page may not be accurate as it is actively being worked on.

## Required ESH Training and ITNA Status for Employees

Org	Completed Courses	Required Courses	Percent Completed	Employees	Current ITNAs	ITNAs < 1 Year Old	Missing ITNAs	ITNAs > 3 Years Old
AD	10187	10283	99.1%	475	462	97.3%	0	0
CCD	1784	1799	99.2%	121	120	99.2%	0	0
CD	454	459	98.9%	39	36	92.3%	0	0
DI	784	792	99.0%	68	64	94.1%	3	0
ES	1846	1859	99.3%	77	70	90.9%	0	0
FE	4004	4043	99.0%	179	176	98.3%	0	0
FI	827	830	99.6%	61	58	95.1%	0	0
ND	1032	1047	98.6%	69	66	95.7%	0	0
PD	6203	6289	98.6%	364	357	98.1%	1	0
SCD	2024	2039	99.3%	167	156	93.4%	1	0
TD	4657	4748	98.1%	231	227	98.3%	0	0
WR	1324	1337	99.0%	100	98	98.0%	1	0
Fermilab	35126	35525	98.9%	1951	1890	96.9%	6	0

> 95%   90-95%   < 90%

Missing ITNAs and ITNAs > 3 Years Old = Red  
 Missing ITNAs for New Employees = Yellow