

Weekly Lab Status Meeting – January 6, 2015

Fiscal Year Summary by Case Type

	FY2004	FY2005	FY2006	FY2007	FY2008	FY2009	FY2010	FY2011	FY2012	FY2013	FY2014	FY2015
DART	11	11	7	12	3	12	6	6	19	7	10	2
TRC	32	30	29	32	12	25	19	21	38	26	23	4
First Aid	67	66	48	60	62	58	52	51	45	34	20	5

Injuries:

None

Claims Pending:


Division	Category	Case Date	Date Entered	Recordable	Rx	Medical		ESH	
						ODD	LDD	ODD	LDD
AD	FNAL	01/05/2015	01/05/2015	CP		0	0	0	0
Medical Comments: Was pulling cables out of a tray in the Muon Campus Tunnel when the end of the cable snapped from the tray, hit right eye hard. No eye protection worn.									
ESH Comments:									

Vehicle Accidents:

None

ORPS/Incidents/Notices of Violations:

None



Employee TRC & DART Details for Current Fiscal Year

Organization	TRC Cases	TRC Rate	TRC 3-Year Average	TRC KPI	DART Cases	DART Rate	DART 3-Year Average	DART KPI
AD	1	0.91	2.09	↓	1	0.91	0.70	↑
BS	0	0.00	2.24	↓	0	0.00	0.84	↓
CCD	0	0.00	0.29	↓	0	0.00	0.00	→
CD	0	0.00	0.00	→	0	0.00	0.00	→
DI	0	0.00	2.24	↓	0	0.00	0.00	→
ES	0	0.00	0.89	↓	0	0.00	0.89	↓
FCPA	0	0.00	0.00	→	0	0.00	0.00	→
FE	1	2.47	4.31	↓	0	0.00	2.49	↓
FI	0	0.00	1.99	↓	0	0.00	0.00	→
ND	0	0.00	0.00	→	0	0.00	0.00	→
PD	0	0.00	0.68	↓	0	0.00	0.49	↓
SCD	0	0.00	0.50	↓	0	0.00	0.25	↓
TD	0	0.00	1.84	↓	0	0.00	0.66	↓
WR	0	0.00	1.77	↓	0	0.00	0.00	→
Fermilab	2	0.49	1.40	↓	1	0.24	0.53	↓

*Please note that FermiDash Training page may not be accurate as it is actively being worked on.

Required ESH Training and ITNA Status for Employees

Org	Completed Courses	Required Courses	Percent Completed	Employees	Current ITNAs	ITNAs < 1 Year Old	Missing ITNAs	ITNAs > 3 Years Old
AD	10158	10295	98.7%	475	463	97.5%	0	0
AD/APC				1	0	0.0%	0	1
CCD	1787	1796	99.5%	121	121	100.0%	0	0
CD	452	459	98.5%	40	38	95.0%	1	0
DI	787	798	98.6%	69	66	95.7%	3	0
ES	1855	1865	99.5%	77	76	98.7%	0	0
FE	4077	4116	99.1%	185	182	98.4%	0	0
FI	841	845	99.5%	61	61	100.0%	0	0
ND	1087	1111	97.8%	73	73	100.0%	0	0
PD	6137	6243	98.3%	365	358	98.1%	0	0
SCD	2024	2041	99.2%	166	156	94.0%	0	0
TD	4684	4791	97.8%	234	227	97.0%	1	0
WR	1323	1335	99.1%	100	98	98.0%	1	0
Fermilab	35212	35695	98.6%	1967	1919	97.6%	6	1

> 95% 90-95% < 90%

Missing ITNAs and ITNAs > 3 Years Old = Red
 Missing ITNAs for New Employees = Yellow