



Scheduling Meeting of 24 June 2008

Days worked since last Recordable Injury = 80

Fermilab Injuries and FY08 Goals:

	FY2005	FY2006	FY2007	FY2008 to Date	GOAL
TRC Cases	28	29	31	8	<10
DART Cases	11	7	12	2	<5

Injuries reported to Medical Department from 06/16/2008 to 06/23/2008

Division	Category	Case Date	Date Entered	Reportable?	Rx	Medical		ESH		Case #
						ODD	LDD	ODD	LDD	
PD	FNAL	06/17/2008	06/17/2008	No		0	0	0	0	17346
Medical Comments: Employee struck back of right upper arm on hasp lock, causing abrasion.										
ESH Comments: First aid only.										
BS	FNAL	06/19/2008	06/23/2008	No		0	0	0	0	17366
Medical Comments: Firefighter was walking up and down Neutrino line (between 0830 and 100 hours), checking hydrants and PIB valves; later noticed insect bite on lower left leg. Bite increased in size with passing time.										
ESH Comments: First aid only.										

**Fermilab Leading/Lagging Indicators
From 10/01/2007 To 06/23/2008**

Outstanding
 Excellent
 Good
 Marginal
 Unsatisfactory

Org	Current ITNAs			First-Aid Case Rate		Total Recordable Case Rate		DART Rate	
	Current	Employees	%	# Cases	Rate (per 100 man-years)	# Cases	Rate (per 100 man-years)	# Cases	Rate (per 100 man-years)
AD	498	506	98.4%	10	2.98	0	0.00	0	0.00
APC	44	46	95.7%	0	0.00	0	0.00	0	0.00
BS	133	133	100.0%	2	2.20	0	0.00	0	0.00
CD	267	272	98.2%	2	1.15	1	0.58	0	0.00
CMS	10	11	90.9%	0	0.00	0	0.00	0	0.00
DI	45	46	97.8%	0	0.00	0	0.00	0	0.00
ES	39	39	100.0%	0	0.00	0	0.00	0	0.00
FCPA	9	9	100.0%	0	0.00	1	18.06	0	0.00
FE	120	123	97.6%	8	10.33	2	2.58	1	1.29
FI	55	55	100.0%	1	2.71	0	0.00	0	0.00
PD	454	475	95.6%	7	2.42	0	0.00	0	0.00
TD	230	240	95.8%	9	6.04	2	1.34	0	0.00
WR	64	78	82.1%	1	2.40	0	0.00	0	0.00
Fermilab	1,968	2,033	96.8%	40	3.10	6	0.46	1	0.08

First-Aid Case Rate	0 - 4.9	5 - 9.9	10 - 14.9	15 - 19.9	> 20
Total Recordable Case Rate	0 - .65	.75 - 1.2	1.3 - 1.85	1.95 - 2.5	> 2.6
DART Rate	0 - .25	.35 - .5	.6 - .75	.85 - 1	> 1.1
Current ITNAs	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%

**Annualized Injury Rate Trends:
(INCLUDES SUBCONTRACTOR EMPLOYEES)**

