



Scheduling Meeting of 12 August 2008

Days worked since last Recordable Injury = 107

Fermilab Injuries and FY08 Goals:

	FY2005	FY2006	FY2007	FY2008 to Date	GOAL
TRC Cases	28	29	31	9 (2 are subs)	<10
DART Cases	11	7	12	2 (1 is sub)	<5

Injuries Reported to Medical Department from 08/04/2008 to 08/11/2008

Division	Category	Case Date	Date Entered	Reportable?	Rx	Medical		ESH		Case #
						ODD	LDD	ODD	LDD	
AD	SUB	08/06/2008	08/06/2008	No		0	0	0	0	17488
<p>Medical Comments: While attempting to open switch gear door, subcontractor was stung by a wasp on the right ear.</p> <p>ESH Comments: Incident occurred outside of PS-4 Service Building. Wasp nest was hidden behind switchgear door handle and was not seen by the worker or the Task Manager until the handle was rotated by the Task Manager to open the door. Several wasps flew from the nest when the handle was moved, one of which stung the worker. First aid treatment only; no limitations.</p>										
FE	FNAL	08/08/2008	08/08/2008	C P		0	0	0	0	17508
<p>Medical Comments: Employee was repairing wire fencing today, raising both arms overhead with fencing material, and felt discomfort. Employee first noticed similar pain in left side of neck, with intermittent numbness to left hand, a little over a week ago.</p> <p>ESH Comments: Being investigated for work-relatedness.</p>										

**Fermilab Leading/Lagging Indicators
From 10/01/2007 To 08/11/2008**

Outstanding
 Excellent
 Good
 Marginal
 Unsatisfactory

Org	ITNA Completion			Required ES&H Courses			Current ITNAs			Total Recordable Case Rate		DART Rate	
	Completed	Employees	%	Completed	Required	%	Current	Employees	%	# Cases	Rate (per 100 man-years)	# Cases	Rate (per 100 man-years)
AD	495	495	100.0%	7,901	8,106	97.5%	491	495	99.2%	0	0.00	0	0.00
APC	49	49	100.0%	442	450	98.2%	47	49	95.9%	0	0.00	0	0.00
BS	129	129	100.0%	1,580	1,644	96.1%	129	129	100.0%	0	0.00	0	0.00
CD	267	272	98.2%	2,061	2,145	96.1%	264	272	97.1%	1	0.45	0	0.00
CMS	11	11	100.0%	60	64	93.8%	11	11	100.0%	0	0.00	0	0.00
DI	44	44	100.0%	348	375	92.8%	42	44	95.5%	0	0.00	0	0.00
ES	37	37	100.0%	561	568	98.8%	37	37	100.0%	0	0.00	0	0.00
FCPA	8	8	100.0%	43	54	79.6%	8	8	100.0%	1	13.80	0	0.00
FE	118	118	100.0%	2,113	2,212	95.5%	116	118	98.3%	3	3.14	1	1.05
FI	53	53	100.0%	446	458	97.4%	53	53	100.0%	0	0.00	0	0.00
PD	450	457	98.5%	4,722	4,987	94.7%	439	457	96.1%	0	0.00	0	0.00
TD	239	242	98.8%	2,847	2,996	95.0%	234	242	96.7%	2	1.07	0	0.00
WR	66	66	100.0%	451	471	95.8%	64	66	97.0%	0	0.00	0	0.00
Fermilab	1,966	1,981	99.2%	23,575	24,530	96.1%	1,935	1,981	97.7%	7	0.43	1	0.06

ITNA Completion	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%
Required ES&H Courses	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%
Total Recordable Case Rate	0 - .65	.75 - 1.2	1.3 - 1.85	1.95 - 2.5	>2.6
DART Rate	0 - .25	.35 - .5	.6 - .75	.85 - 1	> 1.1
Current ITNAs	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%

**Annualized Injury Rate Trends:
(INCLUDES SUBCONTRACTOR EMPLOYEES)**

