



Scheduling Meeting of 9 September 2008

Days worked since last Recordable Injury = 20

Fermilab Injuries and FY08 Goals:

	FY2005	FY2006	FY2007	FY2008 to Date	GOAL
TRC Cases	28	29	31	11 (2 are subs)	<12
DART Cases	11	7	12	3 (1 is sub)	<5

Injuries Reported from 09/01/2008 to 09/08/2008

Division	Category	Case Date	Date Entered	Reportable?	Rx	Medical		ESH		Case #
						ODD	LDD	ODD	LDD	
FE	FNAL	09/02/2008	09/02/2008	No		0	0	0	0	17568
<p>Medical Comments: Employee was descending ladder from CUB roof to mezzanine; stepped on pipe 3-4 inches above floor, and twisted right ankle. Was sent to local clinic for evaluation. No treatment beyond first aid required.</p> <p>ESH Comments: The individual's foot was caught between a valve flange and a metal guard on the floor. He was reaching with his foot for the ground while descending a ladder and placed his foot between the two thinking it was the ground. The area has been guarded to prevent a re-occurrence. MSB 9/2/2008</p>										
FE	FNAL	09/02/2008	09/02/2008	No		0	0	0	0	17569
<p>Medical Comments: While walking through the pumphouse, employee brushed spider web away from face; a few moments later noticed sting and redness on left hand (apparent spider bite).</p> <p>ESH Comments: No medical treatment necessary.</p>										

**Fermilab Leading/Lagging Indicators
from 10/01/2007 to 09/08/2008**

Outstanding
 Excellent
 Good
 Marginal
 Unsatisfactory

Org	ITNA Completion			Required ES&H Courses			Current ITNAs			Total Recordable Case Rate		DART Rate	
	Completed	Employees	%	Completed	Required	%	Current	Employees	%	# Cases	Rate (per 100 man-years)	# Cases	Rate (per 100 man-years)
AD	494	494	100.0%	7,889	8,081	97.6%	490	494	99.2%	0	0.00	0	0.00
APC	47	47	100.0%	425	434	97.9%	46	47	97.9%	0	0.00	0	0.00
BS	127	127	100.0%	1,569	1,632	96.1%	127	127	100.0%	0	0.00	0	0.00
CD	268	269	99.6%	2,089	2,166	96.4%	264	269	98.1%	1	0.42	0	0.00
CMS	11	11	100.0%	61	64	95.3%	11	11	100.0%	0	0.00	0	0.00
DI	43	43	100.0%	346	369	93.8%	41	43	95.3%	0	0.00	0	0.00
ES	38	38	100.0%	564	570	98.9%	38	38	100.0%	0	0.00	0	0.00
FCPA	8	8	100.0%	46	54	85.2%	8	8	100.0%	1	12.68	0	0.00
FE	108	108	100.0%	2,049	2,138	95.8%	108	108	100.0%	5	4.78	2	1.91
FI	53	53	100.0%	445	458	97.2%	53	53	100.0%	0	0.00	0	0.00
PD	449	453	99.1%	4,720	4,983	94.7%	442	453	97.6%	0	0.00	0	0.00
TD	230	231	99.6%	2,766	2,922	94.7%	226	231	97.8%	2	0.98	0	0.00
WR	58	58	100.0%	400	416	96.2%	58	58	100.0%	0	0.00	0	0.00
Fermilab	1,934	1,940	99.7%	23,369	24,287	96.2%	1,912	1,940	98.6%	9	0.51	2	0.11

ITNA Completion	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%
Required ES&H Courses	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%
Total Recordable Case Rate	0 - .65	.75 - 1.2	1.3 - 1.85	1.95 - 2.5	≥2.6
DART Rate	0 - .25	.35 - .5	.6 - .75	.85 - 1	≥1.1
Current ITNAs	90 - 100%	85 - 89.9%	80 - 84.9%	75 - 79.9%	0 - 74.9%

**Annualized Injury Rate Trends:
(INCLUDES SUBCONTRACTOR EMPLOYEES)**

