

## Weekly Lab Status Meeting – February 10, 2015

### Fiscal Year Summary by Case Type

|                  | FY2004 | FY2005 | FY2006 | FY2007 | FY2008 | FY2009 | FY2010 | FY2011 | FY2012 | FY2013 | FY2014 | FY2015 |
|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>DART</b>      | 11     | 11     | 7      | 12     | 3      | 12     | 6      | 6      | 19     | 7      | 10     | 2      |
| <b>TRC</b>       | 32     | 30     | 29     | 32     | 12     | 25     | 19     | 21     | 38     | 26     | 23     | 3      |
| <b>First Aid</b> | 67     | 66     | 48     | 60     | 62     | 58     | 52     | 51     | 45     | 34     | 20     | 9      |

### **Injuries:**

None

### **Claims Pending:**

| Division  | Category | Case Date  | Date Entered | Recordable | Rx | Medical |     | ESH |     |
|---|----------|------------|--------------|------------|----|---------|-----|-----|-----|
|   |          |            |              |            |    | ODD     | LDD | ODD | LDD |
| FE  | FNAL     | 02/05/2015 | 02/09/2015   | CP         |    | 0       | 0   | 0   | 0   |
| <b>Medical Comments:</b> When stepping out of the truck the employee felt pain in his left ankle and knee. Reported to medical on 2/9/15, when the pain increased over the weekend. |          |            |              |            |    |         |     |     |     |
| <b>ESH Comments:</b>  |          |            |              |            |    |         |     |     |     |


### **Vehicle Accidents:**

None

### **ORPS/Incidents/Notices of Violations:**

None

### DART/TRC/First Aid Counts for Employees and Subcontractors



### Employee TRC & DART Details for Current Fiscal Year

| Organization    | TRC Cases | TRC Rate    | TRC 3-Year Average | TRC KPI  | DART Cases | DART Rate   | DART 3-Year Average | DART KPI |
|-----------------|-----------|-------------|--------------------|----------|------------|-------------|---------------------|----------|
| AD              | 1         | 0.66        | 2.09               | ↓        | 1          | 0.66        | 0.70                | ↓        |
| BS              | 0         | 0.00        | 2.24               | ↓        | 0          | 0.00        | 0.84                | ↓        |
| CCD             | 0         | 0.00        | 0.29               | ↓        | 0          | 0.00        | 0.00                | →        |
| CD              | 0         | 0.00        | 0.00               | →        | 0          | 0.00        | 0.00                | →        |
| DI              | 0         | 0.00        | 2.24               | ↓        | 0          | 0.00        | 0.00                | →        |
| ES              | 0         | 0.00        | 0.89               | ↓        | 0          | 0.00        | 0.89                | ↓        |
| FCPA            | 0         | 0.00        | 0.00               | →        | 0          | 0.00        | 0.00                | →        |
| FE              | 1         | 1.79        | 4.31               | ↓        | 0          | 0.00        | 2.49                | ↓        |
| FI              | 0         | 0.00        | 1.99               | ↓        | 0          | 0.00        | 0.00                | →        |
| ND              | 0         | 0.00        | 0.00               | →        | 0          | 0.00        | 0.00                | →        |
| PD              | 0         | 0.00        | 0.68               | ↓        | 0          | 0.00        | 0.49                | ↓        |
| PPD             | 0         | 0.00        | 0.00               | →        | 0          | 0.00        | 0.00                | →        |
| SCD             | 0         | 0.00        | 0.50               | ↓        | 0          | 0.00        | 0.25                | ↓        |
| TD              | 0         | 0.00        | 1.84               | ↓        | 0          | 0.00        | 0.66                | ↓        |
| WR              | 0         | 0.00        | 1.77               | ↓        | 0          | 0.00        | 0.00                | →        |
| <b>Fermilab</b> | <b>2</b>  | <b>0.28</b> | <b>1.15</b>        | <b>↓</b> | <b>1</b>   | <b>0.14</b> | <b>0.44</b>         | <b>↓</b> |

\*Please note that FermiDash Training page may not be accurate as it is actively being worked on.

### Required ESH Training and ITNA Status for Employees

| Org      | Completed Courses | Required Courses | Percent Completed | Employees | Current ITNAs | ITNAs < 1 Year Old | Missing ITNAs | ITNAs > 3 Years Old |
|----------|-------------------|------------------|-------------------|-----------|---------------|--------------------|---------------|---------------------|
| AD       | 10060             | 10224            | 98.4%             | 478       | 474           | 99.2%              | 0             | 0                   |
| CCD      | 1680              | 1686             | 99.6%             | 121       | 120           | 99.2%              | 0             | 0                   |
| CD       | 435               | 440              | 98.9%             | 41        | 38            | 92.7%              | 0             | 0                   |
| DI       | 788               | 803              | 98.1%             | 70        | 67            | 95.7%              | 3             | 0                   |
| ES       | 1792              | 1808             | 99.1%             | 77        | 77            | 100.0%             | 0             | 0                   |
| FE       | 3860              | 3926             | 98.3%             | 180       | 180           | 100.0%             | 0             | 0                   |
| FI       | 797               | 803              | 99.3%             | 62        | 58            | 93.5%              | 0             | 0                   |
| ND       | 1046              | 1063             | 98.4%             | 74        | 72            | 97.3%              | 0             | 0                   |
| PD       | 202               | 209              | 96.7%             | 29        | 27            | 93.1%              | 0             | 0                   |
| PPD      | 5643              | 5766             | 97.9%             | 337       | 327           | 97.0%              | 0             | 1                   |
| SCD      | 1846              | 1861             | 99.2%             | 164       | 153           | 93.3%              | 0             | 0                   |
| TD       | 4607              | 4691             | 98.2%             | 236       | 234           | 99.2%              | 0             | 0                   |
| WR       | 1202              | 1213             | 99.1%             | 96        | 95            | 99.0%              | 0             | 0                   |
| Fermilab | 33958             | 34493            | 98.4%             | 1965      | 1922          | 97.8%              | 3             | 1                   |

> 95%   90-95%   < 90%

Missing ITNAs and ITNAs > 3 Years Old = Red  
Missing ITNAs for New Employees = Yellow